


Measuring Heads



AM5K DUAL WHEEL

OPEN HOLE / CASED HOLE
INTEGRAL DEPTH AND TENSION
FOR WIRELINE 3/16" TO 3/4"




AM3K SINGLE WHEEL

CASED HOLE
INTEGRAL DEPTH AND TENSION
FOR WIRELINE 3/16" TO 3/8"



AMTK INLINE TENSION DEVICE

INTEGRAL DEPTH AND TENSION
FOR WIRELINE 7/32" TO 3/4"




AMSLA SHARK

INTEGRAL DEPTH AND TENSION
FOR SLICKLINE .092 - .125
BRAIDED LINES 3/16"




AMSLA MEGAMOUTH

INTEGRAL DEPTH AND TENSION
FOR SLICKLINE .092 - .125
BRAIDED LINES 3/16" TO 1/4"



AMSLA MAKO

INTEGRAL DEPTH AND TENSION
FOR SLICKLINE .092 - .160
BRAIDED LINES 3/16" TO 5/16"



AMSLA BULLSHARK REAR MOUNT

INTEGRAL DEPTH AND TENSION
FOR SLICKLINE .092 - .125
BRAIDED LINES 3/16" TO 1/4"



AMSLA DOLPHIN TOP MOUNT

INTEGRAL DEPTH AND TENSION
FOR SLICKLINE .092 - .125
BRAIDED LINES 3/16" TO 1/4"



SLICKLINE SPOOLING BASE MOUNT

Display Panels



40 SERIES ANALOG PANEL
 OPEN HOLE / CASED HOLE
 BUILT-IN DATA RECORDER



50 SERIES ANALOG PANEL
 CASED HOLE




60 SERIES ANALOG PANEL
 CASED HOLE / SLICKLINE
 BUILT-IN DATA RECORDER



TOUCH SCREEN - STANDARD
 OPEN HOLE / CASED HOLE



TOUCH SCREEN - WATERPROOF
 CASED HOLE / SLICKLINE / ZONE 2



BACKUP PANEL
 DEPTH / SPEED
 BUILT-IN DATA RECORDER



BACKUP PANEL
 TENSION



BACKUP PANEL
 DEPTH



BACKUP PANEL - WATERPROOF
 DEPTH / SPEED / TENSION
 BUILT-IN DATA RECORDER

Other Products



**INTERCOM SYSTEM
WELLSITE - DUAL SPEAKER**



**STANDALONE SURFACE
PRESSURE DISPLAY
AND RECORDER**
10K – 15K PSI



**AM5K MEASURING HEAD
BEING TESTED ON
MODEL 150 SMALL
TEST STAND**



DRUM COUNTER
DEPTH / DRUM COUNTER
CAN BUS




**SAFETY SWITCHING PANEL
WITH
GALVO METER**

TENSION TEST STAND
MODEL 155 LARGE
MODEL 150 SMALL



**AUTOMATIC CABLE MARKING SYSTEM
TOUCH SCREEN PANEL & MARKING ARM**



AM1K SINGLE WHEEL
FOR LINE SHOPS
AND OTHER APPLICATIONS




**DYNAMIC WELLSITE
MAGNETIC MARK
INTENSIFIER**

Wireline Drums




850 CASED HOLE DRUM
30,000 FEET - 5/16"




DEEP WELL CASED HOLE DRUM
40,000 FEET - 7/16"



**54" OPEN HOLE DRUM
NON MAG CORE**
29,000 FEET - .472 SLAMMER



FSU1M856 SPLIT DRUM
38" X 13.9" EQUAL SPLIT X 12.4" CORE
26.4K' 7/32" X 2
12.7K' 5/16" X 2



FSU1M184 NON-SPLIT DRUM
54" X 34" X 24" CORE
FIBER OPTIC CABLE

**200+ Man-years
of
Wireline
Experience**

**Email
Inquiries**

sales@arabiancrane.com



BenchMark Wireline – World Class Products

Product Design - Engineering - Machining - Fabrication

Electrical & Mechanical Assembly - Product Testing & Calibration

Worldwide Shipping - Worldwide Customer Support